

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	51	three with poles with magnet and pickup	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:03
S5	2038	magnet same gap and pickup	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:03
S6	1630	magnet same gap same between and pickup	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:03
S8	143	magnet same gap same between and track\$3 and focus\$3 and pickup	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:07
S9	123	magnet same gap same yoke same track\$3 same focus\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:10
S10	5	("5008873" "5956188" "6295255" "6483798" "6574052").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/26 12:07
S11	2	("5828634" "6344936").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/26 12:08
S12	181	magnet same gap same yoke same coil same lens	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:15
S13	110	two with magnet same yoke same coil same lens	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:15
S14	99	two with magnet same yoke same coil same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:18
S15	822	369/44.15.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:18
S16	1806	369/44.14.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:19
S17	411	369/44.14.ccls. and focus\$3 same track\$3 same coil	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:19

S18	128	369/44.14.ccls. and focus\$3 same track\$3 same coil same yoke	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:24
S19	121	369/44.15.ccls. and focus\$3 same track\$3 same coil same yoke	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/26 12:19
S20	3	("20030234990" "6344936" "6532118").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/26 12:20
S21	3	("20030234990" "6344936" "6532118").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/26 12:24
S22	144	gravity with center same focus\$3 same track\$3 same magnet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 09:16
S23	111	gravity with center same focus\$3 same track\$3 same coils	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 09:16
S24	156	gravity with center same focus\$3 same track\$3 same coil	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 09:16
S28	17	track\$3 same focus\$3 same board same gravity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 09:23
S29	13	lens same actuator same print same board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 12:55
S30	164	lens same actuator same print\$3 same board	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 12:55
S31	113	printed same coil same tilt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 13:06
S32	290	print\$3 same coil same focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 14:47
S33	24	laminat\$3 same coil same focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:07
S34	66	print\$3 same coil same tilt	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:10

S35	242	coil same tilt same magnet\$2 same force	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:11
S36	68	coil same tilt same magnet\$2 same force same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:11
S37	13	print\$3 same coil same focus\$3 same track\$3 same gap	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:13
S38	225	print\$3 same coil same focus\$3 same track\$3 same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 13:14
S39	11	("4568142" "4646283" "5359459" "5448536" "5491684" "5537170" "5627687" "5666235" "5715231" "5870373" "5986825").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/27 13:19
S40	9	369/53.28.ccls. and center with gravity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 14:51
S41	103	369/44.14.ccls. and center with gravity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 14:57
S42	86	369/44.15.ccls. and center with gravity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:01
S43	6	369/44.\$ccls. and inclinat\$3 same moment same gravit\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:02
S44	1	inclinat\$3 same moment same gravit\$3 same track\$3 same focus\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 15:03
S45	1	inclinat\$3 same moment same gravit\$3 same track\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 15:03
S46	4	inclinat\$3 same moment same gravit\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 15:04
S47	12	tilt same moment same gravit\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 15:06
S48	456	moment same center same gravit\$3 and lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:07
S49	131	moment same center same gravit\$3 and objective same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:07
S50	602	moment same center same gravit\$3 and focus\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:07

S51	101	moment same center same gravit\$3 and focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:18
S53	831	center same gravit\$3 and focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:18
S54	325	center same gravit\$3 same focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:19
S55	259	center same gravit\$3 same focus\$3 same track\$3 same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:19
S56	36	center same gravit\$3 same focus\$3 same track\$3 same tilt	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:21
S57	179	center same gravit\$3 same lens same actuat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:32
S58	7943	moment same center same force same force	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:32
S59	2442	moment same center same gravity same force	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:33
S60	459	moment same center same gravity same force same driv\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:33
S61	46	moment same center same gravity same force same driv\$3 same magnet\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:37
S62	141	moment same center same gravity same force same magnet\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 15:37

S63	62	(US-20020006090-\$ or US-20020075575-\$ or US-20020071358-\$ or US-20020005995-\$ or US-20030174596-\$ or US-20030021218-\$).did. or (US-4759005-\$ or US-6295255-\$ or US-5430699-\$ or US-5555228-\$ or US-6570720-\$ or US-5666235-\$ or US-5043964-\$ or US-6342978-\$ or US-6344936-\$ or US-6587284-\$ or US-6466529-\$ or US-6608802-\$ or US-6084834-\$ or US-6449229-\$ or US-6621618-\$ or US-6625105-\$ or US-6741543-\$ or US-5748579-\$ or US-5986983-\$ or US-5949590-\$ or US-6643229-\$ or US-6618335-\$ or US-6304391-\$ or US-5748580-\$). did. or (EP-1094453-\$ or EP-730268-\$ or EP-617419-\$).did. or (JP-08263861-\$ or JP-11296884-\$ or JP-11167735-\$ or JP-10162394-\$ or JP-04301234-\$ or JP-10334489-\$ or JP-07093778-\$ or JP-07210884-\$ or JP-07105553-\$ or JP-07105552-\$ or JP-06243492-\$ or JP-2000222752-\$ or JP-2000057602-\$ or JP-2000011407-\$ or JP-2000067447-\$ or JP-2000215487-\$ or JP-2001134969-\$ or JP-2002117562-\$ or JP-10027709-\$ or JP-10228653-\$ or JP-07065397-\$ or JP-06251405-\$ or JP-2003272201-\$ or JP-2001184686-\$ or JP-10116431-\$).did. or (JP-10162394-\$ or KR-2001109836-\$ or JP-10116431-\$ or EP-784315-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/27 15:44
S64	1859	magnet same poles same three same coils	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 16:36
S65	156	magnet same poles same three same focus\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 16:38

S66	125	magnet with three with polarities	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 16:40
S67	0	u-shapoed with magnet same focus\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 16:40
S68	98	u-shaped with magnet same focus\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 16:40
S69	49	u-shaped with magnet same focus\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 16:43
S71	336	parallel same magnet same focus\$3 same track\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 16:43
S72	281	parallel same magnet same focus\$3 same track\$3 same coil	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/27 16:44
S73	223	parallel same magnet same focus\$3 same track\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:50
S74	78	parallel same magnet same focus\$3 same track\$3 same coil	EPO; JPO	OR	OFF	2005/07/27 16:50
S75	12	parallel same magnet same focus\$3 same track\$3 same front	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:51
S76	82	magnet same space same focus\$3 same track\$3	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:54
S77	396	magnet\$3 same circuit same x same y same direction same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:54
S78	45	magnet\$3 same circuit same x same y same direction same coil same lens	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:55
S79	5	biaxial same actuator same lens same focus\$3 same tracks\$3	USPAT; EPO; JPO	OR	OFF	2005/07/27 16:56
S80	154	biaxial same actuator same lens same focus\$3 same track\$3	USPAT; EPO; JPO	OR	OFF	2005/07/27 17:00
S81	7	biaxial same print\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 17:01
S82	418	lens same print\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 17:01
S83	227	lens same magnet\$3 same print\$3 same coil	USPAT; EPO; JPO	OR	OFF	2005/07/27 17:02

S84	0	print\$3 same coil same focus\$3 same track43	USPAT; EPO; JPO	OR	OFF	2005/07/27 17:03
S85	213	print\$3 same coil same focus\$3 same track\$3	USPAT; EPO; JPO	OR	OFF	2005/07/28 09:00
S86	30	tilt same coil same yoke same magnet\$3 same lens	USPAT; EPO; JPO	OR	OFF	2005/07/28 09:08
S87	5	("5008873" "5956188" "6295255" "6483798" "6574052").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/28 09:02
S88	52	tilt same coil same force and objective with lens	USPAT; EPO; JPO	OR	OFF	2005/07/28 11:37
S89	145	tilt same coil same objective with lens	USPAT; EPO; JPO	OR	OFF	2005/07/28 09:19
S90	95	objective with lens same print\$3 with coil	USPAT; EPO; JPO	OR	OFF	2005/07/28 10:18
S92	32	"335"/\$.ccls. and magnet same three same polarities	USPAT; EPO; JPO	OR	OFF	2005/07/28 10:20
S93	83	magnet with three with polarities	USPAT; EPO; JPO	OR	OFF	2005/07/28 10:20
S94	3	three with pole with magnet same coil same objective with lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/28 10:27
S97	154	I with shaped with magnet	USPAT; EPO; JPO	OR	OFF	2005/07/28 11:38
S98	55	I-shaped with magnet	USPAT; EPO; JPO	OR	OFF	2005/07/28 11:43
S99	37	shaped with magnet same two with S with one with N	USPAT; EPO; JPO	OR	OFF	2005/07/28 11:44
S10 0	57	h-shaped with magnet	USPAT; EPO; JPO	OR	OFF	2005/07/28 13:18
S10 1	121	front with surface with magnet same poles	USPAT; EPO; JPO	OR	OFF	2005/07/28 13:23
S10 2	27	magnet same poles same lens same front	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/28 13:24
S10 3	440	magnet same poles same lens	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/28 13:24
S10 4	154	magnet same poles same lens same objective	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/28 13:42
S10 5	275	h with pole with magnet	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/07/28 13:43